

Type: Research Paper

Subject: Others (Specify in the next page)

Subject area: Nursing

Education Level: Undergraduate/College

Length: 2 pages

Referencing style: APA

Preferred English: US English

Spacing Option: Double

Instructions: two sources. one needs to be one evidence based with article.

## **Hemorrhagic Stroke**

Name

Institutional Affiliation

Course

Tutor

Date

Question	Unsatisfactory 0-6 (F-D)	Satisfactory- 6.1-7.3(C-B)	Very High 7.4-8(A)
1. Discussion of subject matter (8pts)	When blood flows to the brain are cut off or decreased substantially, a Hemorrhagic stroke occurs. Otherwise, brain cells will die instantly, causing irreversible brain damage without blood-borne oxygen. Strokes may be large or small, and the effects can vary from full recovery to death.	The ischemic disorder of the stroke is due to a poor blood flow and an inadequate supply of oxygen to the brain. Ischemic occlusions are responsible for about 85% of the victims of stroke patients, the majority of which are attributed to intracerebral bleeding. Inability to move Experience a head injury and physical trauma.	Craniotomy-known surgery may be needed. To avoid further bleeding, a surgeon opens a small part of the brain. You may need to patch or seal an aneurysm blood vessels. Medication for reducing blood pressure can be prescribed by a doctor. This decreases the brain strain.

		Using blood-thinning medication.	
2. EBP Article (8pts)		Improvements in patients' stroke treatment could be made by means of a prospective pre/post-test design, using an evidence-based guidance focusing on particular nursing procedures. Measurements of the triage group, waiting times, ED time of stay, consultant evaluation time, assessment and monitoring of the symptoms of critical importance, blood glucose and temperature, venous	While there are several strengths to use psychotherapy based on facts, issues need to be addressed. First, the publicity of findings was expressed as the conditions and features of randomized controlled therapeutic results study vary greatly in comparison with the actual clinical practice.

		thrombosis and risk assessment of pressure injury, and action before and after application of the guidelines.	
3. Reflection (8pts)		Hemorrhagic strokes cannot always be prevented, but smoking avoidance, daily practice and healthy diet can also help.	A stroke is a Hemorrhagic stroke involving brain bleeding. It is life threatening and requires urgent medical care.

**Hemorrhagic Stroke**





### References

- Caldwell, N. W., Suresh, M., Garcia-Choudary, T., & VanFosson, C. A. (2020). CE: Trauma-Related Hemorrhagic Shock: A Clinical Review. *AJN the American Journal of Nursing*, 120(9), 36-43.
- Isabel, C., Calvet, D., & Mas, J. L. (2016). Stroke prevention. *La Presse Médicale*, 45(12), e457-e471